



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

X-Ray Now
2030 E. 4th Street, Suite D-110
Santa Ana, CA 92705

Fulfills the requirements of

ISO/IEC 17025:2017

and national standard

ANSI/NCSL Z540-1-1994 (R2002)

In the field of

CALIBRATION

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 17 April 2023

Certificate Number: AC-2672



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

**SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017
AND ANSI/NCSL Z540-1-1994 (R2002)**

X-Ray Now
2030 E. 4th Street, Suite D-110
Santa Ana, CA 92705
Philip Abbott (714) 396-2519

CALIBRATION

Valid to: **April 17, 2023**

Certificate Number: **AC-2672**

Length – Dimensional Metrology

Parameter / Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method and/or Equipment
Coating Thickness Measuring Instruments by X-Ray Florescence Spectroscopy ¹	(15 to 195) μin (0.38 μm to 4.9 μm)	4.6 % of reading + 1.3 μin 4.6 % of reading + 0.03 μm	ASTM B568 (X-Ray Fluorescence)

Calibration and Measurement Capability (CMC) is expressed in terms of the measurement parameter, measurement range, expanded uncertainty of measurement and reference standard, method, and/or equipment. The expanded uncertainty of measurement is expressed as the standard uncertainty of the measurement multiplied by a coverage factor of 2 ($k=2$), corresponding to a confidence level of approximately 95%.

Notes:

1. On-site calibration service is available for this parameter, since on-site conditions are typically more variable than those in the laboratory, larger measurement uncertainties are expected on-site than what is reported on the accredited scope.
2. This scope is formatted as part of a single document including Certificate of Accreditation No. AC-2672.



R. Douglas Leonard Jr., VP, PILR SBU